





Solution partner for **FINE MINERALS**

INORGANIC DETECTORS

4N SUBMICRON ALUMINATE POWDERS & DOPING SOLUTIONS




1. Detection principles

> Ionizing radiation cannot be directly measured. The detection is done indirectly using an ionizing radiation sensitive material. For the detection of ion radiation in the UV and visible wavelength range up to 800nm, scintillators with luminophores can reveal this signal by two manners:

 A process of energy accumulation and restitution in the form of light emission, either by heating (TL = thermoluminescence) or by light excitation (PL = photoluminescence), > To ensure an effective detection, it might be necessary to protect the system from physical or/and chemical aggressions of its environment.

In this case, **the protection** can be brought by transparent materials such as **alumina and spinel ceramics** that let the incident radiation pass through.

The required properties are the **high crystallinity** for crystals and the **transparency** for ceramics.



2. Miniaturization of detection systems

> Unlike organic detection, the detection of ionizing radiation through inorganic materials has the advantage of providing **mechanical, chemical and thermal resistances**. These characteristics are essential in **medical, safety, energy, electronic and watch applications** like in the following examples:

• Inorganic scintillators in the medical sector

They are most often coupled with a camera to allow a digital acquisition like in the structural imaging with CT scans and MRI, but also in the functional imaging, which is part of the nuclear imaging, with positron emission tomography scans.

The speed required for examinations and the acquisition of several images in a short period of time impose dramatic constraints on the materials of the scintillator, with the main challenge of getting rid of an afterglow effect that could spoil the image accuracy,



• Direct conversion.

- Security gates for trucks and baggages at the airport,
- Waste sorting and quality control tables in the industry,
- Geophysical exploration such as the location of hydrocarbons,
- Car headlight LEDs, including adaptive headlights,
- Luminescence effect for watch,
- Thermal glasses...




> In most applications, we are witnessing **a growing miniaturization of inorganic detectors**. As a result, the need of **submicron aluminate powders**, which is our core business, is expanding.

3. High Quantum Efficiency conditions

> In order to maintain a high accumulation or conversion efficiency, whereas the size and thickness of detectors and photomultiplier tubes continue to decrease, Baikowski[®] not only manufactures **4N submicron powders** with a:

High crystallinity, phasic and chemical purityControlled size distribution

> but also, preserves these properties in all **customized** formulations





4. Ease of use of Baikowski® solutions

> Considering that product design adapted to our client's manufacturing processes is part of our DNA, Baikowski[®] provides **ready-to-use** solutions such as:

- Spray-dried powders,
- Ready To Press powders,
- Slurries

are:

• Low viscosity • High load rate > Moreover, to guarantee **fine ceramics without** porosity, all our powders offer optimized characteristics in terms of:

- Granularity control
- Processability
- Flowability
- Functionalization



5. Baikowski® customized detection offer

> Our know-how is to deliver **tailor-made solutions** based on our **current offer**:

• MgAl₂O₄

- Y3Al5O12, YAG:Ce³⁺, co-doped YAG
- Lu3Al5O12. LuAG:Ce³⁺, co-doped LuAG

Discover our phosphors and spinel solutions.

PRODUCT DESIGN

> Contact us and we will develop together the product that meet all your demanding needs and requirements.

- > In addition, our **development areas** allow us to have good control of the synthesis of cutting-edge products for the detection market, including:
- Magnesium spinel with controlled stoichiometry,
- Specific spinels such as strontium and zinc aluminate,
- YAG and more broadly the family of controlled formulation alumina garnets,
- Alumina in various forms, doped and/or not doped.

• Doped MgAl₂O₄

- SrAl204, ZnAl204
- Ce:GAGG
- Al2O3:Tm³⁺, Al2O3:Dy³⁺, Al2O3:Er³⁺





Your solution partner for fine minerals



©BAIKOWSKI® A/2022/EN

Baikowski[®] SA France | Poisy | & +33 4 50 22 69 02

Mathym[®] SAS France | Lyon | 🗞 +33 4 78 83 72 93

Baikowski[®] Malakoff Inc. USA | Malakoff (TX) | & +<u>1 903-489-1910</u>

Baikowski[®] International Corp. USA | Charlotte (NC) | & +1 704-587-7100 www.baikowski.com sales@baikowski.com



Follow us: in У 💽 🎭

Sales Representative in China China | Shanghai | 🗞 +86 21.6289.2883

Baikowski[®] Korea Co, Ltd. Korea | Seoul | 🗞 +82 255.281.97

Baikowski[®] Japan Co, Ltd. Japan | Chiba | 🕓 +81 474.73.8150

The information and data contained in this document are based on tests believed to be reliable and are indicative only. They are given to demonstrate the typical values attached to every single product in the range, but should under no circumstance be considered as a formal commitment. Depending on the measurement methods and/or instrumentation, the results may vary from information provided herein. Baikowski® and its related companies (subsidiary and affiliated companies) are neither responsible nor liable for results obtained from the use of the products. Because of numerous factors affecting results, Baikowski* makes no warranty of any kind, express or implied, including those of merchantability and fitness for a particular purpose. Each purchaser must conduct its own testing for safety and regulatory evaluations. Baikowski SA reserves the right to change the information given herein without prior notice.